


Windsor ARCHITECTURAL HARDWARE



LUME
SLIDING DOOR HARDWARE

Windsor designed
glideLOCK system
is engineered to
ensure precise and
perfect operation.

A new generation
of sliding door
hardware from
Windsor, LUME is
precision in motion.

LUME DETAILS

Ultra-Smooth glideLOCK Action
Bearing-guided lock drive makes the snib smooth and effortless to operate.



Solid Brass Construction
Flush Pulls
Heavy-duty, premium quality feel that lasts for years.



Matching Accessories Across All Components
5 stocked finishes, 6 special order finishes.



Design Details
Installer-focused fitment for a professional finish. Smooth internal grip edge on Flush and Edge Pulls. 2mm protrusion across all functions to fit easily in all common cavities.



Door Thicknesses
Privacy and Locking doors from 35–65mm (above 65mm to order).



Complete Range of Configurations
Flush Pulls, Edge Pulls, Passage, Privacy and Key Locking Sets available.



Designed by Windsor. Engineered in NZ
Purposeful design focused on feel, function, and longevity.



Internal & External Applications
Ideal for bathroom, bedroom, wardrobe, living, hallway, and exterior sliding and cavity doors. Compatible with timber, aluminium, and steel doors.



Edge Pull
Single Edge Pull is placed on the end of a cavity door to enable a simple finger grip for pulling the door out of the cavity when open.

Privacy Set
Snib to lock inside, emergency release outside. Commonly used on bathroom sliding and cavity doors.

Flush Pull
Single Flush Pull is typically for a sliding door, commonly used on a wardrobe or internal sliding doors.

Locking Set
Snib inside and outside to latch door, key inside and outside to lock door. Commonly used on external doors, office doors and house to garage doors.

Passage Set
Pull inside and outside. A passage set is designed for non-locking and non-latching cavity or sliding doors.

PASSAGE SET



OR

- Door thicknesses: 30mm minimum
- 200mm x 41mm Flush Pull
- 85mm x 26mm stand-alone Edge Pull



5690..... Passage Set

FLUSH PULL



AB

5620..... Flush Pull

- 200mm x 41mm Flush Pull



Finishes:



NZ Lead Times: Stocked Finishes 1-2 Days Special Finishes 14 Days

AU Lead Times: Stocked Finishes 7 Days Special Finishes 21 Days

EDGE PULL



BN

5610..... Edge Pull

- Door thicknesses: 30mm minimum
- 85mm x 26mm Edge Pull



PRIVACY SET




- Door thicknesses: 35mm–65mm
- 55mm Backset
- 200mm x 41mm Flush Pull
- Lockcase depth: 68mm
- Integrated Edge Pull or Blank Mortice Faceplate
- Emergency release



5700 Integrated Privacy Set - Snib/Release (38–65mm door thicknesses)

5700-35 Integrated Privacy Set - Snib/Release (35–37mm door thicknesses)

Configuration Options



CODE	FLUSH PULLS	DOOR THICKNESS	PRIVACY MORTICE
5700	Snib/Release	38mm–65mm	Integrated Edge Pull Faceplate
5700-35	Snib/Release	35mm–37mm	Integrated Edge Pull Faceplate
5800	Snib/Release	38mm–65mm	Blank Faceplate
5800-35	Snib/Release	35mm–37mm	Blank Faceplate
5710	Snib/Blank	38mm–65mm	Integrated Edge Pull Faceplate
5710-35	Snib/Blank	35mm–37mm	Integrated Edge Pull Faceplate
5810	Snib/Blank	38mm–65mm	Blank Faceplate
5810-35	Snib/Blank	35mm–37mm	Blank Faceplate
5720	Snib/Snib	38mm–65mm	Integrated Edge Pull Faceplate
5720-35	Snib/Snib	35mm–37mm	Integrated Edge Pull Faceplate
5820	Snib/Snib	38mm–65mm	Blank Faceplate
5820-35	Snib/Snib	35mm–37mm	Blank Faceplate

**For bathroom applications, we recommend the Snib/Release

LOCKING SET




- Door thicknesses: 35mm–58mm (doors 59mm+ to order)
- 55mm Backset
- 250mm x 41mm Flush Pull
- Lockcase depth: 68mm
- Integrated Edge Pull or Blank Mortice Faceplate



5730..... Integrated Locking Set - Key/Key

Configuration Options



CODE	FLUSH PULLS	EURO MORTICE
5730	Key/Key	Integrated Edge Pull Faceplate
5830	Key/Key	Blank Faceplate
5740	Key/Blank**	Integrated Edge Pull Faceplate
5840	Key/Blank**	Blank Faceplate

Add Cylinder*

CODE SUFFIX*	CYLINDER	DOOR THICKNESS
-1	40mm	35mm–37mm
-2	44mm	38mm–42mm
-3	52mm	43mm–50mm
-4	60mm	51mm–58mm

*When ordering please select Locking Set code, Cylinder length based on your door thickness, then add the finish e.g. 5730-2-BN

**For Key/Blank configuration, please use the same code suffix table above, it will just be supplied with a single key



LOCKING SET
in Brushed Nickel

NZ 0800 607 028

AU 1800 841 643

hello@windsorhardware.co.nz

hello@windsorhardware.com.au

windsorhardware.co.nz

windsorhardware.com.au



Windsor
ARCHITECTURAL HARDWARE